



**CERTIFICATE OF ANALYSIS**

<b>COA No:</b>	BRN-50144561-0
<b>Supersedes:</b>	None
<b>COA Date</b>	1/27/26
<b>Page 1 of 3</b>	

**Silliker Canada Co. Ltd., Burnaby Laboratory**

106-8255 North Fraser Way, Burnaby, BC V3N 0B9

Tel. 888-314-0779 Fax. 604-432-7768

Email: getresults-core@mxns.com

**TO:**

Mr. QA Lab  
 QA Lab Group  
 Pacific Western Brewing Co.  
 641 North Neckako Road  
 Prince George, BC V2K 4M4

<b>Received From:</b>	Prince George, BC
<b>Received Date:</b>	1/21/26
<b>P.O.# / ID:</b>	46143
<b>Location of Test: (except where noted)</b> Burnaby, BC	

**Laboratory ID:** 448319277    **Condition Rec'd:** NORMAL    **Temp Rec'd (°C):** 9.5  
**Desc. 1:** 61  
**Desc. 2:** Pacific Free Lager Beer SV 61 Brew #295

**Additional Testing**

<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Test Approval Date</b>	<b>Test Location</b>
* Gliadin R5 by ELISA Competitive			01/27/2026	MRK
Gliadin (Component of Gluten)	<5.0	ppm (w/w)		
Expressed as Gluten	<10.0	ppm (w/w)		
LOQ	5.0	ppm (w/w)		
Kit Name	Ridascreen Gliadin Kit	-		

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.



**CERTIFICATE OF ANALYSIS**

<b>COA No:</b>	BRN-50144561-0
<b>Supersedes:</b>	None
<b>COA Date</b>	1/27/26
<b>Page 2 of 3</b>	

**Silliker Canada Co. Ltd., Burnaby Laboratory**

106-8255 North Fraser Way, Burnaby, BC V3N 0B9

Tel. 888-314-0779 Fax. 604-432-7768

Email: [getresults-core@mxns.com](mailto:getresults-core@mxns.com)

**TO:**

Mr. QA Lab  
QA Lab Group  
Pacific Western Brewing Co.  
641 North Neckako Road  
Prince George, BC V2K 4M4

<b>Received From:</b>	Prince George, BC
<b>Received Date:</b>	1/21/26
<b>P.O.# / ID:</b>	46143
<b>Location of Test: (except where noted)</b> Burnaby, BC	

**Method References**

<b>Test</b>	<b>Method Reference</b>	<b>Internal Reference</b>
Gliadin R5 by ELISA Competitive	r-Biopharm/AS-CC-016	QA-9901-3079

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.



**CERTIFICATE OF ANALYSIS**

<b>COA No:</b>	BRN-50144561-0
<b>Supersedes:</b>	None
<b>COA Date</b>	1/27/26
<b>Page 3 of 3</b>	

**Silliker Canada Co. Ltd., Burnaby Laboratory**

106-8255 North Fraser Way, Burnaby, BC V3N 0B9

Tel. 888-314-0779 Fax. 604-432-7768

Email: getresults-core@mxns.com

**TO:**

Mr. QA Lab  
 QA Lab Group  
 Pacific Western Brewing Co.  
 641 North Neckako Road  
 Prince George, BC V2K 4M4

<b>Received From:</b>	Prince George, BC
<b>Received Date:</b>	1/21/26
<b>P.O.# / ID:</b>	46143
<b>Location of Test: (except where noted)</b> Burnaby, BC	

Frederick Chen

Laboratory Director

**Noted Test Locations:** MRK-Silliker Canada Co., Markham Laboratory, 90 Gough Road, Unit 4, Markham, Ontario L3R 5V5

**I** Customer supplied information

\* ISO17025 Accredited Analysis

† Indicates reason for COA amendment when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.